

FIG. 1





FIG. 2



2025 RELEASE UNDER E.O. 14176

FIG. 3






FIG. 4



4 5 6 7 8 9 5 0 1 4 0 2

2011 EDITION

FIG. 5



F I G . 6

VALUE OF PARAMETER α CONCERNING A POWER CONSUMPTION WITH RESPECT TO A COMBINATION OF
ON RESISTANCE (RELATIVE VALUE) A AND OFF RESISTANCE (RELATIVE VALUE) B

	B							
A	20,000	10,000	5,000	2,000	1,000	500	200	100
0.01	1.010	1.010	1.011	1.011	1.012	1.015	1.020	1.030
0.02	1.020	1.020	1.021	1.021	1.022	1.025	1.030	1.041
0.05	1.050	1.050	1.051	1.051	1.052	1.056	1.061	1.072
0.10	1.100	1.100	1.101	1.101	1.102	1.106	1.112	1.124
0.20	1.200	1.200	1.201	1.201	1.203	1.207	1.214	1.228
0.50	1.500	1.500	1.501	1.501	1.502	1.504	1.510	1.520
1.00	2.000	2.000	2.001	2.002	2.003	2.006	2.015	2.030
2.00	3.000	3.001	3.003	3.005	3.010	3.025	3.050	3.101
5.00	6.001	6.002	6.006	6.011	6.022	6.055	6.111	6.222
10.0	11.00	11.00	11.01	11.02	11.04	11.11	11.21	11.42
20.0	21.00	21.00	21.01	21.02	21.04	21.08	21.21	21.41
50.0	51.01	51.01	51.02	51.05	51.10	51.20	51.51	52.02
100	101.0	101.0	101.1	101.2	101.4	102.0	103.0	105.1
200	201.0	201.0	201.1	201.2	201.4	201.8	203.0	205.0

FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21

